

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	lin-ji-wei.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:30
S2	1	wang-ray-ming.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/18 14:41
S3	203	taiwan-semiconductor-manufacturin g-co.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:31
S4	1	S3 and ((encrypt\$3 decrypt\$3) same e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:34
S5	994	(chang\$3 transform\$3 convert\$3) with e\$1mail with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:39
S6	3126	obtain\$3 with key with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:36
S7	915	(encrypt\$3 encipher\$3) with e\$1mail with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:36
S8	9	S5 and S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 12:40
S9	592	(convert\$3) with e\$1mail with internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 08:55

EAST Search History

S10	41	convert\$3 with (e\$1mail near3 (protocol format)) with (internet near3 (format protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:29
S11	11	convert\$3 with address\$3 with (e\$1mail near3 (protocol format)) with (internet near3 (format protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 08:54
S12	111	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 08:50
S13	96	S12 and ((decrypt\$3 decipher\$3) with (e\$1mail content attach\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 13:58
S14	3145	obtain\$3 with key with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 08:50
S15	920	(encrypt\$3 encipher\$3) with e\$1mail with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 10:49
S16	111	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 08:50
S17	60	S16 and @ad<"20031016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 08:46
S18	17	S17 and ((encrypt\$3 encipher\$3) with attach\$4 with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:26
S19	3	DNS with convert\$3 with (e\$1mail near3 (protocol format)) with (internet near3 (format protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/15 11:36

EAST Search History

S20	78	e\$1mail with ("rich text format" \$1RTF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 08:46
S21	50	S20 and @ad<"20031016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:18
S22	41	convert\$3 with (e\$1mail near3 (protocol format)) with (internet near3 (format protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/18 19:07
S23	1	((key encrypt\$3) near5 manag\$6) same (password near3 (chang\$3 manag\$6)) same (registe\$3 near5 (public adj key)) same (send\$3 near5 (public adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 09:23
S24	16	(password near3 (chang\$3 manag\$6)) and (registe\$3 near5 (public adj key)) and (send\$3 near5 (public adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:28
S25	14	((key encrypt\$3) near5 manag\$6) and (password near3 (chang\$3 manag\$6)) and (registe\$3 near5 (public adj key)) and (send\$3 near5 (public adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:17
S26	14	((key encrypt\$3) near5 manag\$6) and (password near3 (chang\$3 manag\$6)) and (registe\$3 near5 (public adj key)) and ((send\$3 distribut\$3) near5 (public adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:40
S27	4	((key encrypt\$3) near5 manag\$6) and (password near3 (chang\$3 manag\$6)) and (registe\$3 near5 (public adj key)) and (distribut\$3 near5 (public adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 09:55
S28	6	S26 and e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:22
S29	64	(password near5 (private adj key)) with (chang\$3 manag\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:19

EAST Search History

S30	42	S29 and @ad<"20031016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:30
S31	26	(password near5 (private adj key)) with chang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:20
S32	13	S31 and e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:30
S33	427	(registe\$3 near5 (public adj key)) and ((send\$3 distribut\$3) near5 (public adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:28
S34	148	S33 and e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:42
S35	115	S34 and @ad<"20031016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/16 10:52
S36	13	("380"/\$.ccls. "726"/\$.ccls. "705"/\$. ccls. "713"/\$.ccls. "709"/\$.ccls.) and (convert\$3 with (e\$1mail near3 (protocol format)) with (internet near3 (format protocol)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/18 19:08